

Listing of the Claims:

The following listing of claims will replace all prior versions and listings of claims in the application.

1.-37. (Canceled)

38. (Previously Presented) A hyperimmune serum-reactive antigen comprising an amino acid sequence from any of SEQ ID NOs: 32 to 62 or fragments thereof.

39. (Previously Presented) The hyperimmune serum-reactive antigen or fragment of claim 38, further defined as a peptide comprising an amino acid sequence of column “predicted immunogenic aa” and “location of identified immunogenic region” of Table 1.

40. (Previously Presented) The hyperimmune serum-reactive antigen or fragment of claim 39, further defined as comprising an amino acid sequence of: amino acids 6-28, 54-59, 135-147, 193-205, 274-279, 284-291, 298-308, 342-347, 360-366, 380-386, 408-425, 437-446, 457-464, 467-477, 504-510, 517-530, 535-543, 547-553, 562-569, 573-579, 592-600, 602-613, 626-631, 638-668 and/or 396-449 of SEQ ID NO: 32; 5-24, 101-108, 111-117, 128-142, 170-184, 205-211, 252-267, 308-316, 329-337, 345-353, 360-371, 375-389, 393-399, 413-419, 429-439, 446-456, 471-485, 495-507, 541-556, 582-588, 592-602, 607-617, 622-628, 630-640 and/or 8-21 of SEQ ID NO: 33; 10-20, 23-33, 40-45, 59-65, 72-107, 113-119, 127-136, 151-161 and/or 33-59 of SEQ ID NO: 34; 4-16, 28-34, 39-61, 66-79, 100-113, 120-127, 130-137, 142-148, 150-157, 192-201, 203-210, 228-239, 245-250, 256-266, 268-278, 288-294, 312-322, 336-344, 346-358, 388-396, 399-413, 425-430, 445-461, 464-470, 476-482, 486-492, 503-511, 520-527, 531-541, 551-558, 566-572, 609-625, 635-642, 650-656, 683-689, 691-705, 734-741, 750-767, 782-789, 802-808, 812-818, 837-844, 878-885, 907-917, 930-936 and/or 913-933 of SEQ ID NO: 35; 5-12, 20-27, 46-78, 85-92, 104-112, 121-132, 150-167, 179-185, 200-213, 221-227, 240-264, 271-279, 282-290, 311-317 and/or 177-206 of SEQ ID NO: 36; 18-24, 31-40, 45-51, 89-97, 100-123, 127-132, 139-153, 164-170, 184-194, 200-205, 215-238, 244-255, 257-270, 272-280, 289-302, 312-318, 338-348, 356-367 and/or 132-152 of SEQ ID NO: 37; 7-16, 39-45, 73-83, 90-98, 118-124, 130-136, 194-204, 269-280, 320-327, 373-381, 389-397, 403-408, 424-430, 436-441, 463-476, 487-499, 507-514, 527-534, 540-550, 571-577, 593-599, 620-629, 641-647, 650-664, 697-703, 708-717, 729-742, 773-790, 794-805, 821-828, 830-837, 839-851, 858-908, 910-917, 938-

947, 965-980, 1025-1033, 1050-1056, 1073-1081, 1084-1098, 1106-1120, 1132-1140, 1164-1170, 1185-1194, 1201-1208, 1215-1224, 1226-1234, 1267-1279, 1325-1331, 1356-1364, 1394-1411, 1426-1439, 1445-1461, 1498-1504, 1556-1561, 1564-1573, 1613-1639, 1648-1655, 1694-1714, 1748-1755, 1778-1785, 1808-1813, 1821-1827, 1829-1837, 1846-1852, 1859-1865, 1874-1883, 1895-1900, 1908-1913, 1931-1937, 1964-1981, 1995-2005, 2020-2033, 2040-2047, 2103-2109, 2118-2127, 2138-2144, 2166-2175, 2180-2187, 2220-2225, 2237-2242, 2247-2253, 2273-2281, 2286-2306, 2314-2320, 2323-2345, 2350-2355, 2371-2384, 2415-2424, 2426-2431, 2452-2472, 2584-2589, 2610-2621, 2638-2655, 2664-2670, 2681-2690, 2692-2714, 2724-2730 and/or 687-730 of SEQ ID NO: 38; 10-40, 53-59, 79-85, 98-104, 117-122, 130-136, 144-158, 169-175, 180-185, 203-223, 232-237, 243-254, 295-301 and/or 254-292 of SEQ ID NO: 39; 28-50, 67-85, 93-115, 120-134, 144-179, 240-249, 328-340, 354-360, 368-400, 402-417, 419-427, 429-445, 447-455, 463-468, 472-480, 485-500, 502-510, 512-534, 537-546, 553-558, 582-594, 619-637, 645-654, 690-709, 735-745, 749-756, 786-792, 275-316 and/or 378-401 of SEQ ID NO: 40; 5-16, 21-30, 33-40, 52-74, 101-108, 116-122, 164-182, 185-219, 256-261, 273-279, 285-291, 297-304, 312-328, 331-338, 355-362, 364-371, 373-401, 411-423 and/or 191-208 of SEQ ID NO: 41; 34-55, 67-74, 85-93, 105-115, 138-152, 161-171, 182-189, 197-205, 213-219, 232-239, 241-248, 250-263, 272-277, 288-299 and/or 216-231 of SEQ ID NO: 42; 21-27, 32-37, 43-51, 67-74, 82-92, 94-100, 106-112, 140-149, 153-159, 164-182, 193-215, 222-227, 260-267, 308-322, 330-340, 378-387, 396-403, 417-432, 435-441, 448-465, 476-482, 488-498, 500-510 and/or 214-280 of SEQ ID NO: 43; 4-21, 29-52, 80-87, 104-123, 126-133, 141-157, 182-189, 194-202, 214-220, 227-235, 242-252 and/or 33-108 of SEQ ID NO: 44; 12-18, 20-27, 29-59, 64-72, 84-90, 96-103, 109-121, 125-155, 164-177, 179-186, 188-201, 216-227, 235-253, 259-274, 276-294, 296-310, 322-339, 341-348, 369-379, 398-403, 409-421 and/or 76-96 of SEQ ID NO: 45; 4-15, 24-41, 71-80, 104-111, 113-119, 123-130, 139-149, 168-178, 187-200 and/or 4-45 of SEQ ID NO: 46; 13-19, 32-37, 44-56 and/or 1-14 of SEQ ID NO: 47; 6-11, 16-35, 75-81, 95-100, 126-139, 206-214, 225-233, 241-259, 268-276, 319-325, 339-360, 371-401, 435-441, 452-459, 462-472, 491-503, 505-516, 549-556, 567-580, 590-595, 612-622, 624-630, 642-648, 656-662, 687-693, 698-704, 706-712, 736-750, 768-777, 784-789, 812-818, 847-858, 894-900, 922-931, 938-949, 967-984, 986-992, 1027-1032, 1041-1054, 1082-1088, 1091-1097, 1119-1124, 1234-1240, 1250-1258, 1274-1289, 1299-1305, 1392-1398, 1400-1405, 1429-1442, 1460-1474, 1505-1514, 1531-1537, 1540-1552, 1558-1571, 1582-1587, 1616-1623, 1659-1666, 1671-1677, 1680-1686, 1698-1704, 1706-1712, 1768-1774, 1783-1797, 1814-1819, 1849-1855, 1870-1876, 1890-1897, 1947-1953,

1972-1980, 1999-2013, 2044-2051, 2068-2084, 2093-2099, 2122-2131, 2142-2147, 2156-2163, 2170-2179, 2214-2220, 2235-2245, 2271-2281, 2287-2293, 2308-2317, 2352-2362, 2373-2378, 2387-2407, 2442-2448, 2458-2474, 2507-2516, 2531-2537, 2540-2551, 2555-2561, 2586-2599, 2617-2627, 2644-2649, 2661-2675, 2685-2692, 2695-2707, 2733-2739, 2741-2747, 2774-2783, 2788-2795, 2860-2870, 2891-2903, 2938-2947, 2973-2980, 2993-2999, 3004-3030, 3046-3059, 3066-3077, 3082-3088, 3120-3132, 3144-3149, 3153-3169, 3200-3212, 3232-3256, 3276-3290, 3308-3322, 3330-3338, 3353-3360, 3363-3371, 3390-3408, 3431-3447, 3454-3484, 3503-3515, 3524-3541, 3543-3550, 3560-3567, 3586-3599, 3616-3621, 3642-3647, 3663-3679, 213-276, 579-621 and/or 1516-1559 of SEQ ID NO: 48; 19-41, 43-49, 55-62, 67-74, 114-121, 130-140, 188-197, 208-217, 226-232, 265-287, 292-299, 301-319, 372-394, 400-410, 421-427 and/or 12-56 of SEQ ID NO: 49; 6-12, 44-51, 53-60, 67-88, 91-100, 104-123, 137-142, 148-158, 161-168, 175-201, 204-210, 222-231, 239-253, 258-264, 272-282 and/or 60-138 of SEQ ID NO: 50; 4-63, 69-104, 110-121, 124-131, 134-152, 161-187, 204-221, 223-237, 239-296, 298-310, 331-365, 380-405, 423-451, 470-552, 554-562, 574-581, 592-649, 651-658, 661-671, 673-707, 713-734, 741-748, 758-765, 773-790 and/or 509-528 of SEQ ID NO: 51; 89-94, 102-115, 123-129, 181-188, 200-206, 211-235, 239-249, 267-281, 295-310, 316-321, 331-341, 344-359, 365-386, 409-422, 443-453, 495-506, 514-521, 539-547, 553-560, 563-570, 586-596, 621-626, 633-638, 651-657, 666-683, 697-705, 731-739, 761-768, 865-883 and/or 213-265 of SEQ ID NO: 52; 5-20, 24-34, 37-43, 92-102, 134-139, 156-162, 184-191, 193-205, 207-213, 225-231, 241-247, 259-267, 269-286, 337-350, 365-372, 378-386, 399-413, 415-421, 447-457, 467-481 and/or 145-183 of SEQ ID NO: 53; 12-19, 29-41, 43-57, 80-98, 106-141, 143-156, 172-183, 185-210, 214-220, 226-234, 278-287 and/or 237-287 of SEQ ID NO: 54; 5-12, 32-48, 50-72, 75-81, 88-94 and/or 16-40 of SEQ ID NO: 55; 4-21, 29-42, 48-62, 65-80, 95-101, 103-118, 122-130, 134-140, 143-152, 155-165, 182-192, 198-208, 232-247, 260-268, 318-348, 364-369, 380-391, 403-411, 413-424 and/or 208-230 of SEQ ID NO: 56; 4-18, 65-75, 82-92, 123-140, 144-159, 166-172, 188-194 and/or 174-195 of SEQ ID NO: 57; 7-20, 58-71, 94-101, 110-119, 199-209, 231-242, 247-254, 267-277, 282-290, 297-306, 313-319, 333-342, 344-369, 390-402, 414-431, 436-448, 462-471 and/or 310-350 of SEQ ID NO: 58; 4-25, 37-44, 53-59, 72-78, 86-99, 119-128, 197-203, 209-218, 220-226, 233-244, 246-254, 264-271, 277-289, 407-430, 437-445, 464-472, 482-488, 503-509 and/or 308-331 of SEQ ID NO: 59; 4-12, 14-43, 52-58 and/or 43-58 of SEQ ID NO: 60; 4-14, 21-29, 35-49 and/or 38-50 of SEQ ID NO: 61; 4-19, 31-37, 58-72, 94-108 and/or 1-72 of SEQ ID NO: 62.

41. (Previously Presented) The hyperimmune serum-reactive antigen or fragment of claim 39, comprising at least 6 contiguous amino acids of any of SEQ ID NOs: 32 to 62.
42. (Previously Presented) The hyperimmune serum-reactive antigen or fragment of claim 39, comprising at least 8 contiguous amino acids of any of SEQ ID NOs: 32 to 62.
43. (Previously Presented) The hyperimmune serum-reactive antigen or fragment of claim 39, comprising at least 10 contiguous amino acids of any of SEQ ID NOs: 32 to 62.
44. (Previously Presented) The hyperimmune serum-reactive antigen or fragment of claim 39, further defined as directed against *S. epidermidis*.
45. (Previously Presented) A pharmaceutical composition comprising a hyperimmune serum-reactive antigen or fragment of claim 38.
46. (Previously Presented) The pharmaceutical composition of claim 45, wherein the hyperimmune serum-reactive antigen or fragment is directed against *S. epidermidis*.
47. (Previously Presented) The pharmaceutical composition of claim 45, further defined as comprising at least two different hyperimmune serum-reactive antigens and/or fragments.
48. (Previously Presented) The pharmaceutical composition of claim 47, wherein the at least two different hyperimmune serum-reactive antigens and/or fragments are both directed against *S. epidermidis*.
49. (Previously Presented) The pharmaceutical composition of claim 45, further comprising an immunostimulatory substance.
50. (Previously Presented) The pharmaceutical composition of claim 49, wherein the immunostimulatory substance is a polycationic polymer, an immunostimulatory deoxynucleotide (ODN), a peptide containing at least two LysLeuLys motifs, a neuroactive compound, alum, or a Freund's complete or incomplete adjuvant.
51. (Previously Presented) The pharmaceutical composition of claim 50, wherein the polycationic polymer is a polycationic peptide.

52. (Previously Presented) The pharmaceutical composition of claim 50, wherein the neuroactive compound is human growth hormone.
53. (Previously Presented) The pharmaceutical composition of claim 45, further defined as a vaccine.
54. (Previously Presented) The pharmaceutical composition of claim 53, further defined as a vaccine for treatment and/or prevention of *S. epidermidis* infection.
55. (Withdrawn) A method of vaccinating a subject comprising;

obtaining a pharmaceutical composition of claim 45; and
administering the pharmaceutical composition to a subject;
wherein the subject is vaccinated.
56. (Withdrawn) The method of claim 55, wherein the subject is a human.
57. (Withdrawn) The method of claim 55, further defined as a method of treating and/or preventing *S. epidermidis* infection in the subject.
58. (Withdrawn) The method of claim 55, wherein the hyperimmune serum-reactive antigen or fragment is directed against *S. epidermidis*.
59. (Withdrawn) The method of claim 55, wherein the pharmaceutical composition comprises at least two different hyperimmune serum-reactive antigens or fragments thereof.
60. (Withdrawn) The method of claim 59, wherein the at least two different hyperimmune serum-reactive antigens or fragments thereof are both directed against *S. epidermidis*.